BANDA
TPE SEALING

EDGE PROTECTION PROFILES – PVC – TPE (POM Carrier)

Banda TPE Sealing Edge Protection Profiles are an innovative engineering solution designed to provide sealing, a clean finish and safety at industrial sheet-metal, panel and edge joints while eliminating the disadvantages of traditional metal-wire systems.

The metal wire used in traditional profiles can cause chronic problems over time, including loss of tension, corrosion in humid environments and electrical conductivity with a short-circuit risk. At Banda TPE Sealing, our 100% POM-based carrier strip technology eliminates these weaknesses throughout our product range:

- **Zero Corrosion: Long service life in outdoor and marine applications without the risk of rust.**
- **Full Electrical Insulation: No electrical conductivity, providing maximum safety in panels and electrical enclosures.**
- **Superior Shape Memory: Maintains its form without metal fatigue or breakage.**
- **100% Recyclable: An environmentally friendly and sustainable material structure.**



The tables below present our product range categorized by the compression ranges and cross-section dimensions required in panel manufacturing, automotive bodywork, marine, home appliances and industrial applications. Please contact us for other dimensions and solution requests.

Product	Code	Colour	Compression Range (mm)	Details
	BNP.01.0003/A	Black	1,0-2,5 mm	**Malzeme: PVC / POM** Gövde Shore A 75 Tutucu Shore A 65 a:25 – b:25 – c:25 – d:25 mm
	BNP.01.0008/A	Black	2,0-4,0 mm	**Malzeme: PVC / POM** Gövde Shore A 75 Tutucu Shore A 65 a:25 – b:25 – c:25 – d:25 mm
	BNP.01.0012/A	Black	2,0-5,0 mm	**Malzeme: PVC / POM** Gövde Shore A 75 Tutucu Shore A 65 a:25 – b:25 – c:25 – d:25 mm

Product	Code	Colour	Compression Range (mm)	Details
	BNP.01.0013/A	Black	1,0-3,5 mm	**Malzeme: PVC / POM** Gövde Shore A 75 Tutucu Shore A 65 a:25 – b:25 – c:25 – d:25 mm
	BNP.01.0014/A	Black	2,0-5,0 mm	**Malzeme: PVC / POM** Gövde Shore A 75 Tutucu Shore A 65 a:25 – b:25 – c:25 – d:25 mm
	BNP.01.0015/A	Black	2,0-5,0 mm	**Malzeme: PVC / POM** Gövde Shore A 75 Tutucu Shore A 65 a:25 – b:25 – c:25 – d:25 mm
	BNP.01.0020/A	Black	1,5-3,5 mm	**Malzeme: PVC / POM** Gövde Shore A 75 Tutucu Shore A 65 a:30 – b:30 – c:30 – d:30 mm
	BNP.01.0021/A	Black	4,0-6,0 mm	**Malzeme: PVC / POM** Gövde Shore A 78 Tutucu Shore A 60 a:25 – b:25 – c:25 – d:25 mm
	BNP.01.0027/A	Black	1,5-3,5 mm	**Malzeme: PVC / POM** Gövde Shore A 75 Tutucu Shore A 65 a: – b:25 – c: – d:25 mm

Product	Code	Colour	Compression Range (mm)	Details
	BNP.01.0034/A	Black	8,0 mm	**Malzeme: PVC / POM** Gövde Shore A 75 (+/-5) Tutucu Shore A a: – b: – c: – d: mm
BNP.01.0035/A 		Black	4,0 mm	**Malzeme: PVC / POM** Gövde Shore A 75 (+/-5) Tutucu Shore A
	BNP.01.0036/A BNP.01.0036/A	White Brown		**Malzeme: PVC / Nitril** Moosgummi 0,30 Yoğunluk
	BNT.01.0001/A	Black	0,5-1,5 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A a:60 – b:60 – c:60 – d:60 mm
	BNT.01.0002/A	Black	0,5-2,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A a:60 – b:60 – c:60 – d:60 mm
	BNT.01.0003/A	Black	5,0-5,5 mm	**Malzeme: TPE / POM** Gövde Shore A 75 (+/-5) Tutucu Shore A a: – b:60 – c:25 – d:25 mm

Product	Code	Colour	Compression Range (mm)	Details
	BNT.01.0004/A	Black	1,5-2,5 mm	**Malzeme: TPE / POM** Gövde Shore A 75 (+/-5) Tutucu Shore A a: – b: – c: – d: mm
	BNT.01.0005/A	Black	4,0-4,2 mm	**Malzeme: TPE / POM** Gövde Shore A 75 (+/-5) Tutucu Shore A 240 g. a: – b: – c: – d: mm
	BNT.01.0006/A	Black	3,8 mm	**Malzeme: TPE / POM** Gövde Shore A 90 Tutucu Shore A a: – b: – c: – d: mm
	BNT.01.0007/A	Black	4,2 mm	**Malzeme: TPE / POM** Gövde Shore A 75 (+/-5) Tutucu Shore A a: – b: – c: – d: mm
	BNT.01.0008/A	Black	1,0-2,5 mm	**Malzeme: TPE / POM** Gövde Shore A Tutucu Shore A a: – b:25 – c: – d:25 mm
	BNT.01.0009/A	Black	1,5-2,5 mm	**Malzeme: TPE / POM** Gövde Shore A 75 TPE -Moosgummi 0,65 ccm a: – b:30 – c:30 – d:30 mm

EDGE PROTECTION SEALING PROFILES – TPE (POM Carrier)

Product	Code	Colour	Compression Range (mm)	Details
	BNT.02.0001/A	Black	1,5-2,5 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:30 – c:30 – d:30 mm
	BNT.02.0002/A	Black	1,0-2,5 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:30 – c:30 – d:30 mm
	BNT.02.0003/A	Black	1,5-3,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:30 – c:30 – d:30 mm
	BNT.02.0004/A	Black	1,0-2,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:30 – c:30 – d:30 mm
	BNT.02.0005/A	Black	1,5-3,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:60 – c:25 – d:25 mm
	BNT.02.0006/A	Black	1,5-3,0 mm	**Malzeme: TPE / POM** Gövde Shore A 70 TPE Shore A 25 a: – b: – c: – d: mm

6

Product	Code	Colour	Compression Range (mm)	Details
	BNT.02.0007/X	Black	2,0-4,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm (Antibacterial) a: – b:60 – c:25 – d:25 mm
	BNT.02.0008/A	Black	1,5-3,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:60 – c:25 – d:25 mm
	BNT.02.0009/A	Black	1,5-3,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:60 – c:25 – d:25 mm
	BNT.02.0010/A	Black	1,5-3,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:60 – c:25 – d:25 mm
	BNT.02.0011/A	Black	5,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b: – c: – d: mm
	BNT.02.0012/A	Black	1,5-3,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:60 – c:25 – d:25 mm
	BNT.02.0013/A	Black	1,5-4,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:60 – c:25 – d:25 mm

7

Product	Code	Colour	Compression Range (mm)	Details
	BNT.02.0014/A	Black	1,5-3,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:60 – c:25 – d:25 mm
	BNT.02.0015/A	Black	1,5-4,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:60 – c:25 – d:25 mm
	BNT.02.0016/A	Black	1,0-3,5 mm	**Malzeme: TPE / POM** Gövde Shore A 75 (+/-5) Tutucu Shore A 65 TPE -Moosgummi 30 Shore a: – b: – c: – d: mm
	BNT.02.0017/A	Black	1,0-3,5 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A 65 a:25 – b:25 – c:25 – d:25 mm
	BNT.02.0018/A	Black	2,5-3,0 mm	**Malzeme: TPE / POM** Gövde Shore A 75 Tutucu Shore A TPE -Moosgummi 0,65 ccm a:25 – b:25 – c:25 – d:25 mm
	BNT.02.0019/A	Black	mm	**Malzeme: TPE / POM** Gövde Shore A 75 (+/-5) Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:60 – c:25 – d:25 mm
	BNT.02.0020/A	Black	mm	**Malzeme: TPE / POM** Gövde Shore A 75 (+/-5) Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b: – c: – d: mm

Product	Code	Colour	Compression Range (mm)	Details
	BNT.02.0021/A	Black	mm	**Malzeme: TPE / POM** Gövde Shore A 75 (+/-5) Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b: – c: – d: mm
	BNT.02.0022/A	Black	mm	**Malzeme: TPE / POM** Gövde Shore A 75 (+/-5) Tutucu Shore A TPE -Moosgummi 0,65 ccm a: – b:60 – c:25 – d:25 mm
	BNT.02.0023/A	Black	0,5mm Flok	**Malzeme: TPE** Shore A 65 Shore D 45

	BNT.01.0010/A	Black		